

EU TYPE-EXAMINATION CERTIFICATE

Regulation (EU) 2016/425, MODULE B

0598/PPE/25/3381 Issue 1

Product Safety Footwear

Model Ankle boot: M-8027, M-8138;
Low shoe: L-7163, L-7141;
Half knee boot: H-9430.

Trademark safetoe®

Certificate Holder / Manufacturer Shanghai Langfeng Industrial Co.,Ltd
Room 910, Building 6, Luxiang road 111, Shanghai, China

Product complies with the applicable essential health and safety requirements of Regulation (EU) 2016/425 and standard(s) mentioned below

Standard(s) EN ISO 20345:2022 + A1:2024 (Personal protective equipment - Safety Footwear),
Other Information Class I footwear, with a performance category of S3, with additional applications: FO SR.

Validity This certificate is valid until 2030-05-28.

Date of issue 2025-05-28

SGS Fimko Oy

Signature



SGS Fimko Oy is a Notified Body (0598) according to the Personal Protective Equipment Regulation (EU)



Additional information

- a) safetoe® (logo) style No. M-8027, ankle boot: design B, comprising of black cow hide leather upper, MR459 steel toecap, steel plate-A01(code 2656) perforation resistance insert, grey polyester sandwich mesh vamp lining, quarter lining, counter lining, tongue lining and collar lining, silver reflective PU tape upper insert, black synthetic PU tongue and collar, polyester non-woven insole, black polyester mesh and EVA insock, nylon lace up closure, sewn with nylon thread, available in size range: EUR 37-47;
- b) safetoe® (logo) style No. M-8138, ankle boot: design B, comprising of black cow hide leather upper, MR459 steel toecap, steel plate-A01(code 2656) perforation resistance insert, grey polyester sandwich mesh vamp lining, quarter lining, counter lining, tongue lining and collar lining, black synthetic PU tongue and collar, polyester non-woven insole, black polyester mesh and EVA insock, nylon lace up closure, sewn with nylon thread, available in size range: EUR 37-47;
- c) safetoe® (logo) style No. L-7163, low shoe: design A, comprising of black cow hide leather upper, MR459 steel toecap, steel plate-A01(code 2656) perforation resistance insert, grey polyester sandwich mesh vamp lining, quarter lining, counter lining, tongue lining and collar lining, black synthetic PU tongue and collar, polyester non-woven insole, black polyester mesh and EVA insock, nylon lace up closure, sewn with nylon thread, available in size range: EUR 37-47;
- d) safetoe® (logo) style No. L-7141, low shoe: design A, comprising of black cow hide leather upper, MR459 steel toecap, steel plate-A01(code 2656) perforation resistance insert, grey polyester sandwich mesh vamp lining, quarter lining, counter lining, tongue lining and collar lining, black synthetic PU tongue and collar, polyester non-woven insole, black polyester mesh and EVA insock, nylon lace up closure, sewn with nylon thread, available in size range: EUR 37-47;
- e) safetoe® (logo) style No. H-9490, half knee boot: design C, comprising of black cow hide leather upper, MR459 steel toecap, steel plate-A01(code 2656) perforation resistance insert, grey polyester sandwich mesh vamp lining, quarter lining and counter lining, polyester non-woven insole, black polyester mesh and EVA insock, slip on closure, sewn with nylon thread, available in size range: EUR 37-47.

Contract No: GSL-CERT250400118-01/GB-202504008794.

Technical File: TF_ M-8027; M-8138; L-7163; L-7141; H-9430, Version 0, Dated: 2025-04-27.

Detailed Characteristics:

Classification: Class I;
 Closure System: a)-d) Lace up, e) Slip on;
 Construction: Injection;
 Last Reference: 604;
 Mould Reference: 888#;
 Size(s) Range: EUR 37-47.



DECLARATION

To whom may concern,

Here we Shanghai Harden Tools Co.,Ltd confirm that M-8027, the Safety Footwear, is purchased from Shanghai Langfeng Industrial Co.,Ltd. It is the same product as HARDEN codes:

781538(#38),781539(#39),781540(#40),781541(#41),781542(#42),
781543(#43),781544(#44),781545(#45),781546(#46).

If you have any questions, please contact us freely.

Best Regards,

Shanghai Harden Tools Co.,Ltd

2025.7.22

